




# PTT

## PLASTER TRIMS & TAPE



# 2024

### PLASTERBOARD ANGLE & TRIMS PRODUCT SELECTOR

*Strong PVC angles that look good and will save time and money for the plasterer*

**Australian Manufacturers  
of Quality UV Stabilized PVC Angles  
& Trims for the Plasterboard Trade**

**PTT products are made from Flame Resistant  
(FR) UVPVC**

that comply with the BCA specification C1.10

- ✓ UV Stabilized
- ✓ Impact Resistant
- ✓ Manufactured in Australia employing Australians
- ✓ Rigid PVC
- ✓ Rust Free

PTT UVPVC products comply with Australian Standards of testing to determine UV Stabilization for UVPVC, ASTM G154 + ASTM D792.

The PTT climate friendly factory in Queensland recycles PVC, water, uses Solar power and complies with GCCC environmental policies.





## PLASTER TRIMS & TAPE

### **PTT PVC Plasterboard Angles & Trims are made in Australia for Australian conditions**

- PTT Angles & Trims have a unique hole configuration with knurling to help provide maximum bond to plasterboard or Fibre Cement sheeting.
- PTT angles have 30mm wide legs which are designed for strength which allows the angles to sit straight on the corners.
- PTT angles & Trims are easily fixed with PTT spray adhesive, plaster setting compounds or rust free staples, the easiest way is to fix with PTT Spray Adhesive which has high strength, fast grip & low odour.
- PTT products are UV stabilized so they can be used around windows internally and externally under patios, etc.
- Products that are not UV stabilized could yellow after a short time even indoors under fluro lighting and could eventually break down.

**PTT** are the Australian manufacturers of quality UV Stabilized PVC Trims & Angles made from pure FR-UVPVC that comply to the methods for fire testing on building materials, components & structures Part 2 test for flammability of materials to the Australian Standards for Bush Fire Prone Areas AS 3959-2009 as measured by AS1530.2-1993.

**PTT** is an ISO9001 Accredited company and is the market leader in the Australian manufacturing of quality Flame resistant FR-UV Stabilized PVC Trims & Angles.

**PTT** are the Australian manufacturer's of A Grade quality spark perforated Paper Tape for plasterboard & fibre cement sheet jointing. We manufacture the PVC angles & trims and paper tape in our Plastic Extrusion Factory in Queensland.

**PTT** have the flexibility to work with the plasterboard industry to create new products when their needed.

### **NEW PRODUCTS that PTT have already created are**

- The Slimline angle (52-PE90SL30) was designed to use less mud and provide a flatter finish for skirting boards to finish too.
- The New Internal Shadow Bead (52-PISH10) we believe is a world first and is now making life easier for plasterers that have to create a ceiling shadow effect.

**PTT** PVC Plasterboard Angles & Trims are ideal for wet areas or construction anywhere near water or industrial areas.

**PTT** market their range of Plasterboard PVC Trims & Angles via a network of distributors who distribute throughout Australia and overseas.

## PTT Angles & Trims on site



**Archway Angles**




**Oversize L-Beads**



**Internal Corner Angles**




**Slimline Angles**




**Tearaway L-Beads**



**Shadow Beads**




**Archway Angle**




**Slimline Externals**

***PTT Angles & Trims should be stored flat and below 25°C and free from dust & contamination***


## PLASTERBOARD EXTERNAL & INTERNAL ANGLES




PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
52-PE9024		90° External angle	2.4M	50
52-PE9027		90° External angle	2.7M	50
52-PE9030		90° External angle	3M	50
52-PE9036		90° External angle	3.6M	50
52-PEA90		90° Archway angle	3M	50




PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
52-PE135		135° External angle	3M	50




PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
52-PBN1924		90° 19mm Bullnose External angle	2.4M	50
52-PBN1930		90° 19mm Bullnose External angle	3M	50




PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
52-PBN19135		135° 19mm Bullnose External angle	3M	50




PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
52-PADJIN		Adjustable Internal angle - 70° - 150°	3M	50




PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
52-PINT90		90° Internal angle	3M	50




PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
52-PE90SL24		90° Slimline External angle	2.4M	50
52-PE90SL27		90° Slimline External angle	2.7M	50
52-PE90SL30		90° Slimline External angle	3M	50
52-PE90SLA		90° Slimline Archway angle	3M	50




PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
52-PBN9024		90° Bullnose External angle	2.4M	50
52-PBN9027		90° Bullnose External angle	2.7M	50
52-PBN9030		90° Bullnose External angle	3M	50
52-PBNA90		90° Bullnose Archway angle	3M	50




PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
52-PBN135		135° Bullnose External angle	3M	50



PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
52-PFB-40		Wet Area Flashing Angle	3M	50




PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
52-PFB50x50		Wet Area Flashing Angle	3M	50
52-PFB50 x50 -2.4		Wet Area Flashing Angle	2.4M	50




PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
52-PFLEX		Flexible Internal angle	76M	1


## PLASTERBOARD EXPANSION JOINT TRIMS



PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
52-PEXPH		Hideaway Expansion angle	3M	40























PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
52-PEXP10V		10mm V Expansion Joint	3M	40





















PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
52-PSCJ		Slimline Ceiling Control Joint (for plasterboard movement 1-2mm)	3M	40



## PLASTERBOARD L-BEADS & SHADOW BEADS

	PTT CODE 52-PFTLB	ALTERNATE CODE	DESCRIPTION Flat Tearaway L-Bead	LENGTH 3M	QTY 50		PTT CODE 52-PTLB6	ALTERNATE CODE	DESCRIPTION 6mm Tearaway L-Bead	LENGTH 3M	QTY 50
	PTT CODE 52-PTLB10	ALTERNATE CODE	DESCRIPTION 10mm Tearaway L-Bead	LENGTH 3M	QTY 50		PTT CODE 52-PTLB13	ALTERNATE CODE	DESCRIPTION 13mm Tearaway L-Bead	LENGTH 3M	QTY 50
	PTT CODE 52-PLB10	ALTERNATE CODE	DESCRIPTION 10mm L-Bead	LENGTH 3M	QTY 50		PTT CODE 52-PLB13	ALTERNATE CODE	DESCRIPTION 13mm L-Bead	LENGTH 3M	QTY 50
	PTT CODE 52-PTSH6	ALTERNATE CODE	DESCRIPTION 6mm Tearaway Shadow Bead	LENGTH 3M	QTY 50		PTT CODE 52-PTSH10	ALTERNATE CODE	DESCRIPTION 10mm Tearaway Shadow Bead	LENGTH 3M	QTY 50
	PTT CODE 52-PSH13	ALTERNATE CODE	DESCRIPTION 13mm x 13mm Shadow Bead	LENGTH 3M	QTY 50		PTT CODE 52-PFSH10	ALTERNATE CODE	DESCRIPTION 10mm Flexible Shadow Bead	LENGTH 3M	QTY 50
	PTT CODE 52-PFGA22	ALTERNATE CODE	DESCRIPTION 22mm Flexible Grid Angle	LENGTH 2.4M	QTY 50		PTT CODE 52-PALB1316	ALTERNATE CODE	DESCRIPTION 13mm & 16mm Archway L Bead	LENGTH 3M	QTY 50
	PTT CODE 52-POSLB25	ALTERNATE CODE	DESCRIPTION 25mm Oversize L Bead	LENGTH 3M	QTY 50		PTT CODE 52-POSLB32	ALTERNATE CODE	DESCRIPTION 32mm Oversize L Bead	LENGTH 3M	QTY 50
	PTT CODE 52-POSLB56	ALTERNATE CODE	DESCRIPTION 56-63mm Oversize L Bead	LENGTH 3M	QTY 50		PTT CODE 52-PSLB80	ALTERNATE CODE	DESCRIPTION 80mm Super L Bead	LENGTH 3M	QTY 50
	PTT CODE 52-PGLB140	ALTERNATE CODE	DESCRIPTION 140mm Giant L Bead	LENGTH 3M	QTY 20		PTT CODE 52-PLBFT	ALTERNATE CODE	DESCRIPTION Finish Trim for L Beads	LENGTH 3M	QTY 50
	PTT CODE 52-PRT13	ALTERNATE CODE	DESCRIPTION Plaster Recess Trim 13mm wide x 10mm deep	LENGTH 3M	QTY 40		PTT CODE 52-PISH10	ALTERNATE CODE	DESCRIPTION Internal Shadow Bead -10mm Tearaway	LENGTH 3M	QTY 20

# PLASTERBOARD CASING BEADS - DIVISIONAL MOULDS

	PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY		PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
	52-PCA-12		12mm x 12mm Plasterboard External Cap	3M	50		52-PCA-20		20mm x 20mm Plasterboard External Cap	3M	50
	PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY		PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
	52-PCA-25		25mm x 25mm Plasterboard External Cap	3M	50		52-PCB4.5		4.5mm Casing Bead	3M	20
	PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY		PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
	52-PCB06		6mm Casing Bead	3M	20		52-PCB10-24		10mm Casing Bead	2.4M	50
							52-PCB10		10mm Casing Bead	3M	50
	PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY		PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
	52-PCB13	TT1110	13mm Casing Bead	3M	20		52-PCB16		16mm Casing Bead	3M	50
	PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY		PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
	52-PDM4.5		4.5mm Divisional Mould, Straight Joint (H-Mould)	3M	20		52-PDM06		6mm Divisional Mould, Straight Joint (H-Mould)	3M	20
	PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY		PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
	52-PDM10		10mm Divisional Mould, Straight Joint (H-Mould)	3M	20		52-PDM13		13mm Divisional Mould, Straight Joint (H-Mould)	3M	20
	PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY		PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
	52-PDMEX4.5		4.5mm Divisional Mould - EXTERNAL	3M	20		52-PDMEX06		6mm Divisional Mould - EXTERNAL	3M	20
	PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY		PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
	52-PDMEX10		10mm Divisional Mould - EXTERNAL	3M	20		52-PDMIN4.5		4.5mm Divisional Mould - INTERNAL	3M	20
	PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY		PTT CODE	ALTERNATE CODE	DESCRIPTION	LENGTH	QTY
	52-PDMIN06		6mm Divisional Mould - INTERNAL	3M	20		52-PDMIN10		10mm Divisional Mould - INTERNAL	3M	20

# PLASTERBOARD PAPER JOINTING TAPE - SELF ADHESIVE MESH TAPE

	PTT CODE	DESCRIPTION	LENGTH	QTY
	52-PT25	25m Spark Perforated Paper Tape	25M	12
	PTT CODE	DESCRIPTION	LENGTH	QTY
	52-PT75	75m Spark Perforated Paper Tape	75M	20
	52-PT150	150m Spark Perforated Paper Tape	150M	10
	52-PMESH	90m Self Adhesive Fibreglass Mesh Tape	90M	36




### Plaster Trims & Tape Corner Bead Adhesive

PTT CODE	DESCRIPTION	QTY
52-PCBSA	Plasterboard Corner Bead Spray Adhesive	12/ctn

Plaster Trims & Tape Corner Bead Adhesive is an industrial grade contact adhesive. It may be used to form high strength bonds with corner trims to wall board and MDF substrates. Metals, plywood, many plastics and a wide range of other materials may also be bonded easily using this product.

**Adjustable Spray Tip** allows you to control the unique webbing pattern reducing overspray.

**Unique Formula** prevents soak in of the adhesive on porous surfaces. This provides the user very high coverage and superior film build, resulting in stronger bonds.

**New Spray Can Trigger -42-EZYTRIG -spray can bigger Qty 10**

The ultimate bigger handle that turns most spray cans into a spray gun.

- Easy to ID the PTT Plasterboard & render spray adhesive cans.
- Ergonomic handle that will give you a professional result
- Full size handle for a comfortable grip

# PTT PLASTERBOARD PRODUCT SELECTOR

PTT PRODUCT CODE	PTT PRODUCT DESCRIPTION	LENGTH	CARTON QTY	PLASTER BOARD	FIBRE CEMENT
52-PE9024	90° External angle	2.4M	50	Y	Y
52-PE9027	90° External angle	2.7M	50	Y	Y
52-PE9030	90° External angle	3M	50	Y	Y
52-PE9036	90° External angle	3.6M	50	Y	Y
52-PEA90	90° Archway angle	3M	50	Y	Y
52-PE135	135° External angle	3M	50	Y	Y
52-PE90SL24	90° Slimline External angle	2.4M	50	Y	Y
52-PE90SL27	90° Slimline External angle	2.7M	50	Y	Y
52-PE90SL30	90° Slimline External angle	3M	50	Y	Y
52-PE90SLA	90° Slimline Archway angle	3M	50	Y	Y
52-PBN9024	90° Bullnose External angle	2.4M	50	Y	Y
52-PBN9027	90° Bullnose External angle	2.7M	50	Y	Y
52-PBN9030	90° Bullnose External angle	3M	50	Y	Y
52-PBNA90	90° Bullnose Archway angle	3M	50	Y	Y
52-PBN135	135° Bullnose External angle	3M	50	Y	Y
52-PBN1924	90° 19mm Bullnose External angle	2.4M	50	Y	Y
52-PBN1930	90° 19mm Bullnose External angle	3M	50	Y	Y
52-PBN19135	135° 19mm Bullnose External angle	3M	50	Y	Y
52-PADJIN	Adjustable Internal angle - 70° - 150°	3M	50	Y	Y
52-PINT90	90° Internal angle	3M	50	Y	Y
52-PFLEX	Flexible Internal angle	76M	1	Y	Y
52-PFB-50	Wet Area Flashing Angle 50x50	3M	50	Y	Y
52-PEXPH	Hideaway Expansion angle	3M	40	Y	Y
52-PSCJ	Slimline Ceiling Control Joint (for plasterboard movement 1-2mm)	3M	40	Y	Y
52-PEXP10V	10mm V Expansion Joint	3M	40	Y	Y
52-PFTLB	Flat Tearaway L-Bead	3M	50	Y	Y
52-PTLB6	6mm Tearaway L-Bead	3M	50	N	Y
52-PTLB10	10mm Tearaway L-Bead	3M	50	Y	N
52-PTLB13	13mm Tearaway L-Bead	3M	50	Y	N
52-PLB10	10mm L-Bead	3M	50	Y	N
52-PLB13	13mm L-Bead	3M	50	Y	N
52-PTSH6	6mm Tearaway Shadow Bead	3M	50	N	Y
52-PTSH10	10mm Tearaway Shadow Bead	3M	50	Y	N
52-PSH13	13mm x 13mm Shadow Bead	3M	50	Y	N
52-PFSH10	10mm Flexible Shadow Bead	3M	50	Y	N
52-PFGA22	22mm Flexible Grid Angle	2.4M	50	Y	N
52-PALB1316	13mm & 16mm Archway L Bead	3M	50	Y	N
52-POSLB25	25mm Oversize L Bead	3M	50	Y	Y
52-POSLB32	32mm Oversize L Bead	3M	50	Y	Y
52-POSLB56	56-63mm Oversize L Bead	3M	50	Y	Y
52-PSLB80	80mm Super L Bead	3M	50	Y	Y
52-PGLB140	140mm Giant L Bead	3M	20	Y	Y
52-PLBFT	Finish Trim for L Beads	3M	50	Y	Y
52-PRT13	Plaster Recess Trim 13mm wide x 10mm deep	3M	40	Y	N
52-PCA-12	12mm x 12mm Plasterboard External Cap	3M	50	Y	Y
52-PCA-20	20mm x 20mm Plasterboard External Cap	3M	50	Y	Y
52-PCA-25	25mm x 25mm Plasterboard External Cap	3M	50	Y	Y
52-PCB4.5	4.5mm Casing Bead	3M	50	N	Y

PTT PRODUCT CODE	PTT PRODUCT DESCRIPTION	LENGTH	CARTON QTY	PLASTER BOARD	FIBRE CEMENT
52-PCB06	6mm Casing Bead	3M	20	N	Y
52-PCB10-24	10mm Casing Bead	2.4M	50	Y	N
52-PCB10	10mm Casing Bead	3M	50	Y	N
52-PCB13	13mm Casing Bead	3M	20	Y	N
52-PCB16	16mm Casing Bead	3M	50	Y	N
52-PDM4.5	4.5mm Divisional Mould, Straight Joint (H-Mould)	3M	20	N	Y
52-PDM06	6mm Divisional Mould, Straight Joint (H-Mould)	3M	20	N	Y
52-PDM10	10mm Divisional Mould, Straight Joint (H-Mould)	3M	20	Y	N
52-PDM13	13mm Divisional Mould, Straight Joint (H-Mould)	3M	20	Y	N
52-PDMEX4.5	4.5mm Divisional Mould - EXTERNAL	3M	20	N	Y
52-PDMEX06	6mm Divisional Mould - EXTERNAL	3M	20	N	Y
52-PDMEX10	10mm Divisional Mould - EXTERNAL	3M	20	Y	N
52-PDMIN4.5	4.5mm Divisional Mould - INTERNAL	3M	20	N	Y
52-PDMIN06	6mm Divisional Mould - INTERNAL	3M	20	N	Y
52-PDMIN10	10mm Divisional Mould - INTERNAL	3M	20	Y	N
52-PT25	25m Spark Perforated Paper Tape	25M	12	Y	Y
52-PT75	75m Spark Perforated Paper Tape	75M	20	Y	Y
52-PT150	150m Spark Perforated Paper Tape	150M	10	Y	Y
52-PMESH	90m Self Adhesive Fibreglass Mesh Tape	90M	36	Y	Y



Hi, welcome to PTT Paper Tape, the only Australian made paper tape.

PTT are the Australian manufacturers of A Grade quality spark perforated Paper Tape, the cross fibered Kraft paper raw material is sourced from the USA.

PTT at their factory at Yatala, Qld then splice, buff, crease and spark perforate the wallboard paper to create 75m, 150m & 25m (diy) rolls and distribute throughout Australia and overseas.


### PTT Paper Tape Codes

**52 - PT75** 75m Roll 20 per carton

**52 - PT150** 150m Roll 10 per carton

**52 - PT25** 25m Roll 12 per carton

- Suitable for automatic tools
- Easy to crease
- Suitable for hand tools
- Easy to use



Easy to use - fill recess with setting compound.



Bed PTT paper tape into the recess - Air escapes through perforations - no bubbles only a perfect bond.




Once bedded in apply a skim coat, allow to chemically set before applying the second coat.



# EXCITING NEW PTT PRODUCT

**52-PISH10 - Internal Shadow Bead - 10mm Tearaway  
(Registered Trade Mark No 1801382)**



PTT have invented what they believe is a world first Internal Shadow Bead and have taken out a registered trademark.

This came about from a request by contractors who were sick of the old way of doing ceiling shadow angles. The result is the 52-PISH10 designed by plasterers for plasterers and the contractors have found that it is not only easier but they have saved time and material and achieved a perfect finish every time.

## **PTT Plasterboard angle & trim fixing instructions**

PTT Plasterboard angles & trims should be fixed to plasterboard & fibre Cement sheeting in accordance with the plasterboard and fibre cement manufacturers recommendations which is usually using a plaster based setting compound, non rusting staples or a spray adhesive such as the PTT 52-PCBSA- Plasterboard Corner Bead Spray Adhesive which has High strength, Fast grip and low odour.

## **Storage of PTT Angles & Trims**

PTT Angles & Trims should be stored flat and below 25°C and free from dust & contamination  
For PTT Warranty visit the PTT website [www.ptrim.com.au](http://www.ptrim.com.au)



**PLASTER TRIMS & TAPE**

[www.ptrim.com.au](http://www.ptrim.com.au)

